



CENTRE OF EXCELLENCE IN MICROBIOME

An initiative of the Govt. of Kerala under KSCSTE

KINFRA Film and Video Park, Chanthavila, Kazhakoottam, Thiruvananthapuram, Kerala 695585, India.

NOTICE INVITING QUOTATION

Quotation Number	CoEM/Purchase/Misc/Con/2025/06-QTN
Date of publishing the Quotation	16/06/2025
Due date and time for receipt of quotations	24/06/2025; 10:30 AM
Date and time for opening of quotations	24/06/2025; 12:30 PM
Designation and address of officer to whom the quotation is to be addressed	The Director Centre of Excellence in Microbiome, First floor- RGCB Bio Innovation Center, KINFRA Film & Video Park, Chanthavila, Kazhakkootam, Thiruvananthapuram, Kerala – 695585
Superscription: Quotation for electrical appliances	

Sealed quotations are invited from REPUTED AGENTS/ SUPPLIERS, preferably from Kerala, for the supply of the materials specified in the schedule attached below/overleaf for the use of Centre of Excellence in Microbiome.

GENERAL TERMS AND CONDITIONS

- Period of Delivery: Within 15 days from the date of supply order at the **Centre of Excellence in Microbiome, First floor- RGCB Bio Innovation Center, KINFRA Film & Video Park, Chanthavila, Kazhakkootam, Thiruvananthapuram, Kerala – 695585.**
- The quoted rates should be inclusive of GST, freight, handling, loading, unloading, installation, testing and training etc.
- The bidder should have valid GST registration and the same must be mentioned in the quotation.
- The bidders must submit the quotations and technical compliance statement as per the format attached as **Annexure I (Part A and Part B)** and the undertaking as per **Annexure II** on their own papers/letter head with seal and sign. The technical details such as make, model, catalogue number, drawings/pamphlets etc. so as to confirm that the offered product is meeting the technical specification as per schedule of supply are to be submitted along with the quotation.
- The products must be durable, of superior quality, and must comply with the standards of leading manufacturers such as LG, V Guard, Prestige, Whirlpool, Kelvinator, or its equivalents.
- If any license or permit is required, bidders must specify in their quotation and also state the authority to whom application is to be made.
- The maximum period required for delivery of the articles should also be mentioned.
- The quotations will be opened at the prescribed time in the presence of the bidders or their authorized representatives who may wish to be present at that time.
- Acceptance of the quotation constitutes a concluded contract.
- CoEM reserves the right to cancel the order in case the items are not supplied within the stipulated period or non-fulfilment of contractual obligations.

- Payment will be made only after the satisfactory supply, installation and submission of invoice in duplicate. In case of any defects, the material shall be replaced immediately prior to the release of the payment.
- The quotation should be addressed to;

Superscription: Quotation – Electrical appliances

Address:

**The Director,
Centre of Excellence in Microbiome,
First floor- RGCB Bio Innovation Center,
KINFRA Film and Video Park, Chanthavila,
Kazhakkootam, Thiruvananthapuram,
Kerala-695 585.**

DIRECTOR, CoEM

Place: Thiruvananthapuram

Date: 16.06.2025

SCHEDULE OF SUPPLY

Sl No.	Description of the items	Essential Specifications	Desirable Specifications	Quantity
1	Microwave Oven	<ol style="list-style-type: none"> Capacity: ~20 Litres Type: Solo Microwave Oven Material: Glass and Sheet metal Product Dimensions (Width x Height x Depth) (mm): ~455 x ~252 x ~320 Weight: ~12.3 kg Control Type: Membrane Type Heating Method: Microwave Interior: Stainless Steel Power Levels: 5 Power Output (W): 700 Door Type: Side Swing Voltage/Frequency: 240V/50Hz Special Features: Child Safety Lock, Anti-Bacterial Cavity Coating, I-wave Technology, Auto-cook, Defrost, Timer, Turntable, Steam Clean Warranty: 1-year or above comprehensive warranty; 10 years or above compressor warranty 	<ol style="list-style-type: none"> Auto-Cook Menus: 44 Controls: Touch Controls 	1
2	Induction cooker	<ol style="list-style-type: none"> Material: Glass Control Type: Touch Panel Display: 4 Digit LED Display Power Consumption: 2000W Warranty: 1 Year or above Company Warranty BIS certified 24 Hour timer setting Fast Heating: Yes Spill Proof: Yes Grid Type: Round Power Indicator: Yes Power Input: 230V, 50Hz Cord length: ~130 m Automatic Shut-off: Yes Child Lock function: Yes Dimensions (Height x Width x Depth): ~6.4 cm x ~28 cm x ~36 cm Weight: ~2.6 kg 	<ol style="list-style-type: none"> Finish: Matte Design: Slim 	1

3	Pressure cooker	<ol style="list-style-type: none"> Made of: Virgin Aluminium Capacity: ~12 Litres Lid Type: Outer Lid Warranty: 5 Years or above Company Warranty Gas and Induction Compatible Precision Weight Valve Metallic Safety Plug Gasket-release System ISI marked Product Dimensions (Depth x Width x Height): ~30.5cm x ~30.5cm x ~40.6cm Wattage: 1000 Watts Item Weight: ~5.6 Pounds 	2
4	Refrigerator	<ol style="list-style-type: none"> Dimensions (Width x Height x Depth): ~56.4 cm x ~158.7 cm x ~65.5 cm Weight: ~47 kg Finish: Steel Capacity: ~235 Litres Warranty Summary: 1 Year or above comprehensive warranty on Refrigerator and 10 Years or above on Compressor Stabilizer included: No Base drawer: No Cooling type: Frost-free Convertible: Yes Type of Defrost: Frost-free Product type: Double Door Refrigerator Door handle type: Side pocket handle Shelf Material: Toughened Glass Interior Light: LED Icemaker Bank and Tray: Yes No. of shelves (fridge compartment): 4 No. of shelves (freezer compartment): 1 Door Alarm: No Compressor Type: Inverter Energy Rating: 3 Star or above Warranty card: Included User manual: Included Voltage Range(V): 160-300 Frequency (Hz): 50Hz 	1

		25. Installation Type: Free-standing 26. Display type: UI touch panel		
5	Stabilizer - Refrigerator	1. Designed for One Inverter Refrigerator up to ~450 L 2. Cabinet material: Acrylonitrile Butadiene Styrene (ABS) 3. Low & High Voltage Cut-off Protection 4. Digital Display System 5. Micro-controlled operation 6. Warranty: 5 years or above 7. Capacity: ~2 Ampere 8. Working Range (Input): 120 AC -280 VAC 9. Time Delay: ~3 Minutes \pm 20 Seconds ITDS (Intelligent time delay system)		1
6	Stabilizer – Deep Freezer	1. Capacity: 4 Ampere 2. Working range: 135 VAC - 280 VAC 3. Cabinet material: Acrylonitrile Butadiene Styrene (ABS) 4. Application: One Deep Freezer up to 4 Ampere / Refrigerator up to 600L 5. Warranty: 5 years or above 6. Time Delay: 3 Minutes \pm 20 seconds ITDS (Intelligent time delay system) 7. Low & High Voltage Cut-off Protection 8. Built-In Thermal Overload Protection 9. Fail Safe Circuit Protection		2

ANNEXURE-I

[To be submitted on letter head of the supplier]

QUOTATION / BID**PART A**

1	Name of the firm	
2	Quotation No.	CoEM/Purchase/Misc/Con/2025/06-QTN
3	Name and Address for Correspondence	
4	Contact number : (a)	
	(b)	
5	E-mail ID	
6	Total no. of pages in the document (to be filled mandatorily)	
7	PAN (Copy to be enclosed mandatorily)	Yes / No
8	GST Number (Copy to be enclosed mandatorily)	Yes / No
9	Is a license or permit required for the supply of items specified in the schedule of supply? If yes, mention the authority to apply to	
10	No. of days within which the items can be delivered to CoEM (Maximum: 15 days)	

Place:**Signature****Date:****Name of the authorised Signatory.**

(Seal of the Company /Firm)

PART B

SL No.	Description of the items	Essential Specification	Desirable Specification	QTY (nos)	Model. No.	Make	Total price INR	GST (@ Rate)	Amount
1	Microwave Oven	<ol style="list-style-type: none"> Capacity: ~20 Litres Type: Solo Microwave Oven Material: Glass and Sheet metal Product Dimensions (Width x Height x Depth) (mm): ~455 x ~252 x ~320 Weight: ~12.3 kg Control Type: Membrane Type Heating Method: Microwave Interior: Stainless Steel Power Levels: 5 Power Output (W): 700 Door Type: Side Swing Voltage/Frequency: 240V/50Hz Special Features: Child Safety Lock, Anti-Bacterial Cavity Coating, I-wave Technology, Auto-cook, Defrost, Timer, Turntable, Steam Clean Warranty: 1-year or above comprehensive warranty; 10 years or above compressor warranty 	<ol style="list-style-type: none"> Auto-Cook Menus: 44 Controls: Touch Controls 	1					
2	Induction cooker	<ol style="list-style-type: none"> Material: Glass Control Type: Touch Panel Display: 4 Digit LED Display Power Consumption: 2000W Warranty: 1 Year or above Company Warranty BIS certified 24 Hour timer setting Fast Heating: Yes Spill Proof: Yes Grid Type: Round Power Indicator: Yes Power Input: 230V, 50Hz Cord length: ~130 m Automatic Shut-off: Yes Child Lock function: Yes 		1					

		16. Dimensions (Height x Width x Depth): ~6.4 cm x ~28 cm x ~36 cm 17. Weight: ~2.6 kg							
3	Pressure cooker	1. Made of: Virgin Aluminium 2. Capacity: ~12 Litres 3. Lid Type: Outer Lid 4. Warranty: 5 Years or above Company Warranty 5. Gas and Induction Compatible 6. Precision Weight Valve 7. Metallic Safety Plug 8. Gasket-release System 9. ISI marked 10. Product Dimensions (Depth x Width x Height): ~30.5cm x ~30.5cm x ~40.6cm 11. Wattage: 1000 Watts 12. Item Weight: ~5.6 Pounds		2					
4	Refrigerator	1. Dimensions (Width x Height x Depth): ~56.4 cm x ~158.7 cm x ~65.5 cm 2. Weight: ~47 kg 3. Finish: Steel 4. Capacity: ~235 Litres 5. Warranty Summary: 1 Year or above comprehensive warranty on Refrigerator and 10 Years or above on Compressor 6. Stabilizer included: No 7. Base drawer: No 8. Cooling type: Frost-free 9. Convertible: Yes 10. Type of Defrost: Frost-free 11. Product type: Double Door Refrigerator 12. Door handle type: Side pocket handle 13. Shelf Material: Toughened Glass 14. Interior Light: LED 15. Icemaker Bank and Tray: Yes 16. No. of shelves (fridge compartment): 4 17. No. of shelves (freezer compartment): 1 18. Door Alarm: No 19. Compressor Type: Inverter 20. Energy Rating: 3 Star or above 21. Warranty card: Included		1					

		22. User manual: Included 23. Voltage Range(V): 160-300 24. Frequency (Hz): 50Hz 25. Installation Type: Freestanding 26. Display type: UI touch panel							
5	Stabilizer - Refrigerator	1. Designed for One Inverter Refrigerator up to ~450 L 2. Cabinet material: Acrylonitrile Butadiene Styrene (ABS) 3. Low & High Voltage Cut-off Protection 4. Digital Display System 5. Micro-controlled operation 6. Warranty: 5 years or above 7. Capacity: ~2 Ampere 8. Working Range (Input): 120 AC -280 VAC 9. Time Delay: ~3 Minutes ± 20 Seconds ITDS (Intelligent time delay system)		1					
6	Stabilizer – Deep Freezer	1. Capacity: 4 Ampere 2. Working range: 135 VAC - 280 VAC 3. Cabinet material: Acrylonitrile Butadiene Styrene (ABS) 4. Application: One Deep Freezer up to 4 Ampere / Refrigerator up to 600L 5. Warranty: 5 years or above 6. Time Delay: 3 Minutes ± 20 seconds ITDS (Intelligent time delay system) 7. Low & High Voltage Cut-off Protection 8. Built-In Thermal Overload Protection 9. Fail Safe Circuit Protection		2					
Total Amount (Inclusive of Taxes): _____ Total Amount in words (Inclusive of Taxes): _____ _____									

Place:

Signature:

Date:

Name of the authorised Signatory:

(Seal of the Company /Firm)

ANNEXURE II

[To be submitted on letter head of the supplier]

To,
The Director
Centre of Excellence in Microbiome

UNDERTAKING BY THE TENDERER

I/We _____ have carefully gone through the various terms and conditions mentioned in the quotation notice No. CoEM/Purchase/Misc/Con/2025/06-QTN Dated 16-06-2025 including all annexures, for the supply of electrical appliances.

I hereby sign this undertaking as token of our acceptance of various conditions mentioned in quotation notice.

Place: _____

(Authorised Name & Signatory of Agency/firm with seal)

Date: _____